




Web Mining

Data Mining and Text Mining (UIC 583 @ Politecnico di Milano)

References

- ❑ Jiawei Han and Micheline Kamber, "Data Mining: Concepts and Techniques", The Morgan Kaufmann Series in Data Management Systems (Second Edition)
 - ▶ Chapter 10
- ❑ **Web Mining Course** by *Gregory-Platesky Shapiro* available at www.kdnuggets.com
- ❑ Federico Facca and Pier Luca Lanzi.
Mining Interesting Knowledge from Weblogs: A Survey. *Journal of Data and Knowledge Engineering*, 53(3):225–241, 2005.




World Wide Web: a brief history

- ❑ Who invented the wheel is unknown
- ❑ Who invented the World-Wide Web ?
- ❑ (Sir) Tim Berners-Lee
- ❑ in 1989, while working at CERN, invented the World Wide Web, including URL scheme, HTML, and in 1990 wrote the first server and the first browser
- ❑ Mosaic browser developed by Marc Andreessen and Eric Bina at NCSA (National Center for Supercomputing Applications) in 1993; helped rapid web spread
- ❑ Mosaic was basis for Netscape ...



How big is the Web?

165,719,150 Web Sites @Apr 2008 (Netcraft Survey)



What is Web Mining?

Discovering interesting and useful information
from Web content and usage

□ Examples


- ▶ Web search, e.g. Google, Yahoo, MSN, Ask, ...
- ▶ Specialized search: e.g. Froogle (comparison shopping), job ads (Flipdog)
- ▶ eCommerce
- ▶ Recommendations (Netflix, Amazon, etc.)
- ▶ Improving conversion rate: next best product to offer
- ▶ Advertising, e.g. Google AdSense
- ▶ Fraud detection: click fraud detection, ...
- ▶ Improving Web site design and performance

Web Mining Challenges




- ❑ Huge amount of data
- ❑ Complexity of Web pages
 - ▶ Different styles
 - ▶ Different contents
- ❑ Highly dynamic and rapidly growing information
 - ▶ Number of sites is rapidly growing
 - ▶ Information is constantly updated
- ❑ Web serves many user communities
 - ▶ Users with different interests, background and purposes
 - ▶ “99% of the Web information is useless to 99% of Web users”

Web Mining Taxonomy




- Summarization of Web pages
- Summarization of Web searches
- Mining multimedia Web content
- Web pages classification
- ...

Web Mining Taxonomy



- Mining linking structure
- Discover authoritative pages
 - ▶ PageRank
- Discover hub

Web Mining Taxonomy



- ❑ Mining weblogs to discover usage patterns
- ❑ Applications:
 - ▶ Personalization of Web content
 - ▶ Improve Web design

Mining Web Page Layout Structure



- ❑ Web page is more than plain text
- ❑ Web page structure is defined by the **DOM** (Document Object Model) tree, where nodes are the **HTML tags**
- ❑ **Issues**
 - ▶ Not all the pages follows the standards
 - ▶ DOM tree does not always reflect the page semantic

Mining Web Page Layout Structure


- ❑ Web
- ❑ Web
- ❑ Obj
- ❑ Issu
- ▶ N
- ▶ D

The screenshot shows a web browser window titled 'Page Analysis - Yahooligans! E-Cards'. The address bar shows the URL: `http://ecards.yahooligans.com/content/ecards/category?c=133&g=16`. The page content includes a navigation menu, a 'Yahooligans! E-Cards' header, and a grid of animal-themed e-cards. A red box highlights a row of four e-cards: 'Timber Wolf', 'Giraffes', 'Elephant Sunrise', and 'Prowling Fox'. On the right, a DOM tree shows a list of 'TR' elements, with a yellow arrow pointing from the 195th element to the 'Elephant Sunrise' e-card. Below the DOM tree is an attribute table for the selected element.

Attribute	Value
tagName	TR
sourceIndex	195
outerHTML	<TR style="..."
innerText	
innerTextLen	9
Left	10
Top	692
offsetLeft	0
offsetTop	440
offsetWidth	620
offsetHeight	84
currentStyle...	transparent
currentStyle.f...	12pt
currentStyle.f...	normal
currentStyle.f...	400
currentStyle.z	0


ent
S
antic

Vision-based Page Segmentation





DOM tree

Visual Block
Extraction
→
Visual Separator
Detection



Page Layout



Mining Web's Link Structure

- ❑ How to identify **authoritative** page?
- ❑ The answer is in the **Web linkage structure**
- ❑ Issues in Web linkage
 - ▶ Links do not always represent endorsements (e.g., adv)
 - ▶ Important competitors do not usually link each other
 - ▶ Authoritative pages are generally not self-descriptive
- ❑ To discover authorities we should also look for **hub pages**
 - ▶ Hub are pages that provide **collections of links to authorities**
 - ▶ Hub pages are not necessary highly linked
 - ▶ Hub pages implicitly confer authorities on focused topics
- ❑ **Hub and authoritative pages have a mutual reinforcement relationship**
 - ▶ A good hub page points to many good authorities, a good authority is a page pointed by many good hub pages

Hyperlink-Induce Topic Search (1)

□ Startup

- ▶ **Root set** built from results from an index-based search engine
- ▶ **Base set** built including pages linked by and linking to the root set pages

- Authority weight, a_p , and hub weight, h_p , are iteratively computed

$$a_p = \sum_{\forall q:q \rightarrow p} h_q \qquad h_p = \sum_{\forall q:q \leftarrow p} a_q$$

- In matrix form

$$\begin{cases} \vec{h} = \mathbf{A} \vec{a} = \dots = (\mathbf{A} \mathbf{A}^T)^k \vec{h} \\ \vec{a} = \mathbf{A}^T \vec{h} = \dots = (\mathbf{A}^T \mathbf{A})^k \vec{a} \end{cases}$$

Adjacency Matrix

- The **authority weight vector** and the **hub weight vector** if normalized converge to the eigenvectors of $\mathbf{A} \mathbf{A}^T$ and $\mathbf{A}^T \mathbf{A}$

Hyperlink-Induce Topic Search (2)

- Underlying assumptions:
 - ▶ Links convey endorsement
 - ▶ Pages co-linked by a certain page are likely to be related to the same topic
- VIPS-based approach
 - ▶ **Block-to-page** relationship

$$Z_{ij} = \begin{cases} 1/s_i, & \text{if block } i \text{ point to page } j \\ 0, & \text{otherwise} \end{cases}$$

where s_i is the number of pages linked by block i

- ▶ **Page-to-block** relationship

$$X_{ij} = \begin{cases} f_{p_i}(b_j), & \text{if } b_j \in p_i \\ 0, & \text{otherwise} \end{cases}$$

where $f_p(b)$ represents how b is important in page p

- ▶ Adjacency matrix can be defined as

$$W_P = XZ$$

Mining Multimedia Data on the Web

- ❑ Is different from general-purpose multimedia data mining
 - ▶ Multimedia data is embedded in Web pages
 - ▶ Links and surrounding text might help the data mining process
- ❑ VIPS algorithm is the basis to extract knowledge
 - ▶ A **block-to-image** relationship can be build
 - ▶ The block-to-image relationship can be integrated with a block-level link analysis
 - ▶ The resulting **image graph** reflect the semantic relationship between the images
- ❑ The image graph can be used for classification and clustering purposes

Web Usage Mining

Web usage mining is the extraction of interesting knowledge from server log files

□ Applications

- ▶ Mining logs of a single user
 - Web content personalization
- ▶ Mining logs of groups of users
 - Supporting Web design

□ Issues

- ▶ Where is the data?
- ▶ How to preprocess the data?
- ▶ Which mining techniques?

Data sources



- ❑ Logs can be collected at different levels
 - ▶ Server side
 - ▶ Proxy side
 - ▶ Client side

Data sources: server side



- ❑ Web server log
 - ▶ Standard format (e.g., LogML)
 - ▶ Large amount of information (IP, request info, etc.)
 - ▶ User session can be difficult to identify
 - ▶ Special buttons (e.g., *Back*, *Stop*) cannot be tracked
- ❑ TCP/IP packet sniffer
 - ▶ Data collected in real-time
 - ▶ Data from different web servers can be merged easily
 - ▶ Some special buttons can be tracked (e.g. *Stop*)
 - ▶ Does not scale very well
- ❑ Exploiting the server application layer
 - ▶ Very effective
 - ▶ Not always possible
 - ▶ Requires ad-hoc solutions for each web server

Data sources: proxy side



- ❑ Almost the same information available on server side
- ❑ Data of **groups of users** accessing to **huge groups of web servers**
- ❑ Sessions can be anyway identified

Data sources: client side



- Collecting data with JavaScript or Java applets
- Exploiting a modified Web browser
- Perfect identification of the user session
- Requires user collaboration

Preprocessing: data cleaning



- ❑ Data cleaning consists of removing from Web logs useless data for mining purposes
- ❑ Content requests (e.g. images) are usually easily removed
- ❑ Robots and Web spiders should be removed on the basis of
 - ▶ Remote hostname
 - ▶ Access to robots.txt
 - ▶ Navigation pattern

Preprocessing: session identification and reconstruction

□ Goals

- ▶ Identifying the session of different users
- ▶ Reconstruction the navigation path in identified session

□ Challenges

- ▶ Proxy
- ▶ Browser caching and special buttons
- ▶ Sessionization

□ Solutions

- ▶ Cookies
- ▶ URL rewriting
- ▶ JavaScript (e.g. SurfAid)
- ▶ Consistency of navigation path
- ▶ Timeout heuristic for session termination

Preprocessing: content retrieving



- ❑ Generally URLs are the only information available on pages
- ❑ A richer information about visited pages may help the discovering of interesting Web usage patterns
- ❑ Main approaches
 - ▶ Pages categorization
 - Pre-defined
 - Automatically discovered with Web mining techniques
 - ▶ Semantic Web for Web Usage Mining
 - Ontology mapping
 - Learning of ontology from data
 - Extraction of concept-based navigation paths

Mining Techniques

- The main techniques used for the analysis of collected data are

- ▶ Association rules

A.html, B.html => C.html

- ▶ Sequential patterns extraction

- General purpose algorithm (e.g., AprioriAll)
- Ad hoc solution for Web logs (WAP-mine)

- ▶ Clustering of sessions

- Based on sequence alignment
- *Association rule hypergraph partitioning*
 - build a graph representing frequent patterns
 - Edges weighting based on pattern relevance
 - Partitioning of graph to extract users' behaviors

Applications



- ❑ Personalization of Web content
 - ▶ Behavior anticipation
 - ▶ Recommendation of interesting links
 - ▶ Content reorganizations
- ❑ Pre-fetching and caching
 - ▶ Caching and pre-fetching of content to reduce the server response time
- ❑ Support to Web design
 - ▶ Analysis of frequent patterns to improve the usability of Web sites
- ❑ E-commerce
 - ▶ Analysis of customer behaviors (attrition, fidelity, etc.)